



Indoor unit model name SRK20ZSX-W
 Outdoor unit model name SRC20ZSX-W

| | | | |
|--|-----|-------------------|---------------------------------|
| Refrigerant | R32 | GWP | 675 |
| <p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p> | | | |
| Cooling mode | | | |
| SEER | | 10.0 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designc}) | | 2.0 kW | |
| Energy consumption, | | 70 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Average) | | | |
| SCOP | | 5.2 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designh}) | | 2.8 kW | (-10°C) |
| Declared capacity | | 2.80 kW | (-10°C) |
| Back up heating capacity | | 0 kW | (-10°C) |
| Energy consumption, | | 754 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Warmer) Optional | | | |
| SCOP | | 6.7 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designh}) | | 3.7 kW | (2°C) |
| Declared capacity | | 3.70 kW | (2°C) |
| Back up heating capacity | | 0 kW | (2°C) |
| Energy consumption, | | 774 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Colder) Optional | | | |
| SCOP | | - | |
| Energy efficiency class | | - | |
| Design load (P _{designh}) | | - kW | (-22°C) |
| Declared capacity | | - kW | (-22°C) |
| Back up heating capacity | | - kW | (-22°C) |
| Energy consumption, | | - kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Sound power level (indoor) | | 53 | dB(A) |
| Sound power level (outdoor) | | 56 | dB(A) |



Indoor unit model name SRK25ZSX-W
 Outdoor unit model name SRC25ZSX-W

| | | | |
|--|-----|-------------------|---------------------------------|
| Refrigerant | R32 | GWP | 675 |
| <p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p> | | | |
| Cooling mode | | | |
| SEER | | 10.3 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designc}) | | 2.5 kW | |
| Energy consumption, | | 85 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Average) | | | |
| SCOP | | 5.2 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designh}) | | 3.0 kW | (-10°C) |
| Declared capacity | | 3.00 kW | (-10°C) |
| Back up heating capacity | | 0 kW | (-10°C) |
| Energy consumption, | | 808 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Warmer) Optional | | | |
| SCOP | | 6.6 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designh}) | | 4.2 kW | (2°C) |
| Declared capacity | | 4.20 kW | (2°C) |
| Back up heating capacity | | 0 kW | (2°C) |
| Energy consumption, | | 891 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Colder) Optional | | | |
| SCOP | | - | |
| Energy efficiency class | | - | |
| Design load (P _{designh}) | | - kW | (-22°C) |
| Declared capacity | | - kW | (-22°C) |
| Back up heating capacity | | - kW | (-22°C) |
| Energy consumption, | | - kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Sound power level (indoor) | | 55 | dB(A) |
| Sound power level (outdoor) | | 57 | dB(A) |



Indoor unit model name SRK35ZSX-W
 Outdoor unit model name SRC35ZSX-W

| | | | |
|--|---|---------|-----|
| Refrigerant | R32 | GWP | 675 |
| <p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p> | | | |
| Cooling mode | | | |
| SEER | 9.5 | | |
| Energy efficiency class | A+++ | | |
| Design load (P _{designc}) | 3.5 kW | | |
| Energy consumption, | 129 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Average) | | | |
| SCOP | 5.1 | | |
| Energy efficiency class | A+++ | | |
| Design load (P _{designh}) | 3.4 kW | (-10°C) | |
| Declared capacity | 3.40 kW | (-10°C) | |
| Back up heating capacity | 0 kW | (-10°C) | |
| Energy consumption, | 934 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Warmer) Optional | | | |
| SCOP | 6.5 | | |
| Energy efficiency class | A+++ | | |
| Design load (P _{designh}) | 4.7 kW | (2°C) | |
| Declared capacity | 4.70 kW | (2°C) | |
| Back up heating capacity | 0 kW | (2°C) | |
| Energy consumption, | 1013 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Colder) Optional | | | |
| SCOP | - | | |
| Energy efficiency class | - | | |
| Design load (P _{designh}) | - kW | (-22°C) | |
| Declared capacity | - kW | (-22°C) | |
| Back up heating capacity | - kW | (-22°C) | |
| Energy consumption, | - kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Sound power level (indoor) | 58 | dB(A) | |
| Sound power level (outdoor) | 61 | dB(A) | |



Indoor unit model name SRK50ZSX-W
 Outdoor unit model name SRC50ZSX-W

| | | | |
|--|---|---------|-----|
| Refrigerant | R32 | GWP | 675 |
| <p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p> | | | |
| Cooling mode | | | |
| SEER | 8.3 | | |
| Energy efficiency class | A++ | | |
| Design load (P _{designc}) | 5.0 kW | | |
| Energy consumption, | 211 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Average) | | | |
| SCOP | 4.7 | | |
| Energy efficiency class | A++ | | |
| Design load (P _{designh}) | 4.5 kW | (-10°C) | |
| Declared capacity | 4.50 kW | (-10°C) | |
| Back up heating capacity | 0 kW | (-10°C) | |
| Energy consumption, | 1341 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Warmer) Optional | | | |
| SCOP | 5.9 | | |
| Energy efficiency class | A+++ | | |
| Design load (P _{designh}) | 6.0 kW | (2°C) | |
| Declared capacity | 6.00 kW | (2°C) | |
| Back up heating capacity | 0 kW | (2°C) | |
| Energy consumption, | 1425 kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Colder) Optional | | | |
| SCOP | - | | |
| Energy efficiency class | - | | |
| Design load (P _{designh}) | - kW | (-22°C) | |
| Declared capacity | - kW | (-22°C) | |
| Back up heating capacity | - kW | (-22°C) | |
| Energy consumption, | - kWh per year.based on standard test results. | | |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Sound power level (indoor) | 59 | dB(A) | |
| Sound power level (outdoor) | 63 | dB(A) | |



Indoor unit model name SRK60ZSX-W
 Outdoor unit model name SRC60ZSX-W

| | | | |
|--|-----|--------------------|---------------------------------|
| Refrigerant | R32 | GWP | 675 |
| <p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p> | | | |
| Cooling mode | | | |
| SEER | | 7.8 | |
| Energy efficiency class | | A++ | |
| Design load (P _{designc}) | | 6.1 kW | |
| Energy consumption, | | 274 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Average) | | | |
| SCOP | | 4.7 | |
| Energy efficiency class | | A++ | |
| Design load (P _{designh}) | | 5.2 kW | (-10°C) |
| Declared capacity | | 5.20 kW | (-10°C) |
| Back up heating capacity | | 0 kW | (-10°C) |
| Energy consumption, | | 1551 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Warmer) Optional | | | |
| SCOP | | 5.8 | |
| Energy efficiency class | | A+++ | |
| Design load (P _{designh}) | | 6.8 kW | (2°C) |
| Declared capacity | | 6.80 kW | (2°C) |
| Back up heating capacity | | 0 kW | (2°C) |
| Energy consumption, | | 1643 kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Heating mode (Colder) Optional | | | |
| SCOP | | - | |
| Energy efficiency class | | - | |
| Design load (P _{designh}) | | - kW | (-22°C) |
| Declared capacity | | - kW | (-22°C) |
| Back up heating capacity | | - kW | (-22°C) |
| Energy consumption, | | - kWh per year. | based on standard test results. |
| Actual energy consumption will depend on how the appliance is used and where it is located. | | | |
| Sound power level (indoor) | | 62 | dB(A) |
| Sound power level (outdoor) | | 65 | dB(A) |